WINDOW FITTING SCREWS AND PACKING SHIMS

Fischer Hammerfix N Z with zinc-plated drive screw



- > Suitable for: Concrete, solid bricks, perforated bricks, hollow blocks, and aerated concrete (aircrete)
- > For fixing of: Timber battens, frames, roof edge, wall connection or plaster profiles, skirting boards, wall angles, cable ducts, cable and pipe clips, sheets, etc.
- > Pre-assembled
- > Order qty: Multiples of 50 pcs

Туре	Drill Ø	Min. hole depth	Plug length	Screw size	Cat. No.	
N8 v 100 7	8 mm	115 mm	100 mm	5 v 105 mm	051 /1 033	

Packing shim



- > Fixing items to uneven surfaces can be difficult due to gaps beneath the fixing points. A simple and cost effective solution is provided by using plastic shims of varying thickness to fill the gap and provide a secure fixing
- > Typical applications are window and door frame fixing, cladding supports and dry lining
- > Plastic
- Small pack consists of 100 shims:
 20x 1, 3 and 5 mm light duty shims
 10x 10 mm light duty shims
 10x 1, 3 and 5 mm heavy duty shims
- > Large pack consists of 210 shims: 40x 1, 3 and 5 mm light duty shims 20x 10 mm light duty shims 20x 1, 3 and 5 mm heavy duty shims 10x 10 mm heavy duty shims

Finish	Thickness	Light duty	Heavy duty	Order Qty
		55 x 43 mm	101 x 43 mm	
Yellow	1 mm	006.90.970	006.90.980	250
White	1.5 mm	006.90.971	006.90.981	250
Green	2 mm	006.90.972	006.90.982	250
Blue	3 mm	006.90.973	006.90.983	250
Red	4 mm	006.90.974	006.90.984	250
Brown	5 mm	006.90.975	006.90.985	250
Black	6 mm	006.90.976	006.90.986	250
Grey	10 mm	006.90.977	006.90.987	250
Packs c	f shims	Small pack	Large pack	Order Qty
Cat. No.		006.90.960	006.90.961	1 set